





FLEX NON STANDARD



ACÉLA HÁZBAN

EXPO INOX hosszú ideje saválló acél gyártással és feldolgozással foglalkozik. Minden megkeresést pontos tervezés követ; termékeink innovatív technológiája, sokoldalúsága és az anyagok hosszú élettartama tesz minket képessé arra, hogy fejlett műszaki tartalommal, esztétikus termékeket nyújtsunk a legmagasabb minőségben. A rozsdamentes acél ideális az egyszerű vagy éppen összetettebb design megalkotására, belélliszkedve a meglévő környezetbe. Az acéllal történő tervezés az elvárt eredményt nyújtja vásárlóinknak, legyen szó akár a legkifinomultabb kérésről - ez a mi filozófiánk.

BUILDING WITH STAINLESS STEEL

EXPO INOX has been involved in stainless steel production for a long time. Every request is subjected to an accurate planning; the innovative techniques of our products, the multi purpose nature and long lasting characteristics of this material, enable us to propose advanced technical, aesthetical and design solutions of the highest quality. Stainless steel is ideal for linear and essential design creations, matching and respecting the environment in which it is placed. Design with stainless steel, give the customer the result he desires even to the most demanding requests: this is our main objective.






FLEX kiegészítők - EGYEDI

ACCESSORIES FOR FLEX - NON STANDARD



BFL316CCFLEX..




záró egyfal esővédő sapka
flexibilishez DN 100 AISI 316L BA
vastagság 0,4 mm

terminal single wall rain cap for
flexible DN100 AISI 316L BA

Ø	Ød	Øf
80	300	140
100	300	140
110	300	140
120	300	140
125	300	140
130	300	160
140	300	160
150	400	180
160	400	180
180	400	200
200	400	220
220	500	250
250	500	300
300	500	350



BFL316TFLEX..




T idom flexibilis DN80 kondenz
elvezetővel

tee flexible DN80 with condense
drain

Ø	H	A
80	330	40
100	330	40
110	330	40
120	330	40
125	330	40
130	330	40
140	330	40
150	330	40
160	330	40
180	500	106
200	500	96
220	500	86
250	500	71
300	500	46



BFL316TFLEXGM..



T idom flexibilis DN80 kondenz
elvezetővel és flex merev csatlakozó

tee flexible DN80 with condense
drain and flex rigid adaptor

Ø	H	A
80	330	40
100	330	40
110	330	40
120	330	40
125	330	40
130	330	40
140	330	40
150	330	40
160	330	40
180	500	106
200	500	96
220	500	86
250	500	71
300	500	46



Expo Inox S.p.a.
Viale Artigianato 6
27020 Borgo San Siro (PV) ITALIA

tel. +39 0382 87237a

fax +39 0382 87330

e-mail: info@expoinox.com

www.expoinox.com